UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION III 1650 Arch Street Philadelphia, Pennsylvania 19103-2029

SUBJECT: Toxicological Review of HW06 Data 12 March 2012

Dimock, PA

FROM: Dawn A. Ioven, toxicologist

Technical Support Branch (3HS41)

TO: Rich Fetzer, OSC

Eastern Response Branch (3HS31)

On 26 January 2012, U.S. EPA collected water samples from HW06 in Dimock. The samples were analyzed for over 200 constituents, including volatile organic compounds, semi-volatile compounds, metals and bacteria. The analytical results were then validated and compared to risk-based screening levels and/or standards for public drinking water supplies.

Fluoride

Fluoride was reported in HW06 at 630 ug/L; this concentration slightly exceeds the conservative risk-based screening level for this chemical (620 ug/L). The non-cancer threat associated with long-term exposure to the observed level of fluoride is negligible (Hazard Quotient = 1.0).

Arsenic

Arsenic was observed in HW06 at 7.6 ug/L in an unfiltered sample. While this concentration slightly exceeds the risk-based screening level for arsenic in tap water (4.5 ug/L), it is less than the enforceable drinking standard for public water supplies (10 ug/L).

Chromium

In HW06, chromium was detected in an unfiltered sample at 10.8 ug/L. (Chromium was not detected in the filtered sample from this location.) The risk-based screening level for the most toxic form of chromium (hexavalent) is 3.1 ug/L. The concentration observed in HW06 exceeds this value by approximately three-fold (yielding an excess cancer risk of approximately 3.9E-04). Note, however, that the form of chromium detected in this sample is not known. If the reported concentration represents the much less toxic trivalent form of chromium (with a risk-based screening level of 16,000 ug/L), then there is no risk associated with exposure.

Printed on 100% recycled/recyclable paper with 100% post-consumer fiber and process chlorine free.

Customer Service Hotline: 1-800-438-2474

DIM0182622 DIM0182622

Lithium

Lithium was reported in an unfiltered sample at 236 ug/L; the filtered sample for HW06 contained lithium at 228 ug/L. With a risk-based screening level of 31 ug/L under a long-term exposure scenario, there is a non-cancer threat associated with exposure (Hazard Quotient = 7.6). A risk of this magnitude triggers consideration of immediate action to mitigate the potential threat.

Sodium

Samples collected from HW06 contained sodium at concentrations of 83,700 ug/L (unfiltered) and 83,300 ug/L (filtered). A quantitative assessment of risk cannot be performed for sodium; however, U.S. EPA has a non-enforceable Health Advisory of 20,000 ug/L for sodium in drinking water. This value is based on recommendations for individuals on sodium-restricted diets.

Printed on 100% recycled/recyclable paper with 100% post-consumer fiber and process chlorine free.

Customer Service Hotline: 1-800-438-2474

DIM0182622 DIM0182623